
according to 1907/2006/EC, Article 31

Printing date 04.09.2020

Version number 7

Revision: 22.08.2019



- P102 Keep out of reach of children.
- P103 Read label before use.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Revision: 22.08.2019

## Trade name WEBERCOLOR PREMIUM

(Contd. of page 1) P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

#### Additional information:

Contains portland cement with a soluble chromium VI content under 2 ppm during the conservation period indicated on the packaging.

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains a biocidal product.

Active substance: reaction mass of silver chloride and titanium dioxide

#### 2.3 Other hazards

### Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	limestone substance with a Community workplace exposure limit	>50%
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey Eye Dam. 1, H318; $\bigcirc$ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limits: Skin Irrit. 2; H315: C $\geq$ 1 % Eye Dam. 1; H318: C $\geq$ 1 %	5-10%
CAS: 7778-18-9 EINECS: 231-900-3	calcium sulphate, natural substance with a Community workplace exposure limit	5-10%
CAS: 57-09-0 EINECS: 200-311-3 Reg.nr.: 01-2119989160-35-xxxx	cetrimonium, salts ♦ STOT RE 2, H373; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=100); ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	<0.1%

## SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

#### After inhalation

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air and to be sure call for a doctor.

After skin contact Immediately wash with water and soap and rinse thoroughly.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

(Contd. on page 3)



Printing date 04.09.2020

Version number 7

EUG -

according to 1907/2006/EC, Article 31

Printing date 04.09.2020

Version number 7

Revision: 22.08.2019

#### Trade name WEBERCOLOR PREMIUM

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

# 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** If swallowed, gastric irrigation with added, activated carbon.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing agents The product is not combustible.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation.

6.2 Environmental precautions: No special measures required.

**6.3 Methods and material for containment and cleaning up:** Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling
Thorough dedusting.
Keep receptacles tightly sealed.
Provide suction extractors if dust is formed.
Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles:
Store only in unopened original receptacles.
Information about storage in one common storage facility: Store away from foodstuffs.
Further information about storage conditions:
Store in cool, dry conditions in well sealed receptacles.
Protect from humidity and water.
7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

------ EUG



IIIM

(Contd. of page 2)

# Safety Data Sheet according to 1907/2006/EC, Article 31

Version number 7

Revision: 22.08.2019

Trade name WEBERCOLOR PREMIUM

	(Contd. of page : neters
-	limit values that require monitoring at the workplace: Ination of material % Type Value Unit
CAS: 1317-65-3	, , , , , , , , , , , , , , , , , , ,
TWA (Italy)	Long-term value: 10 mg/m³ (e)
CAS: 65997-15-1	cement portland, grey
AGW (Germany)	Long-term value: 5 E mg/m <sup>3</sup> DFG
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d
TWA (Italy)	Long-term value: 1 mg/m <sup>3</sup> (e, j), A4
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä/inhalerbart, **alveolijae/respirabel
CAS: 7778-18-9 d	calcium sulphate, natural
TWA (Italy)	Long-term value: 10 mg/m <sup>3</sup> (i)
VLE (Portugal)	Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais
Total inhalable du Respirable dust (< Additional inform	< 5 μm): 4 mg/m³
The applicable TI this safety data sh	RGS 900 (MAK list) was used as the basis for the preparation and/or revision of

(Contd. on page 5)



Printing date 04.09.2020

# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 04.09.2020

weber

Version number 7

Revision: 22.08.2019

## Trade name WEBERCOLOR PREMIUM

(Contd. of page 4)

9.1 Information on basic physical and cher	nical properties
General Information Appearance:	
Form:	Powder
Colour:	According to product specification
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Alkaline in water
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable
Flammability (solid, gas):	Product is not flammable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure:	Not applicable.
Density:	Not applicable.
	Not determined
Relative density	Not determined.
Vapour density Evaporation rate	Not applicable.
•	Not applicable.
Solubility in / Miscibility with Water:	Hardens when in contact with water.
Segregation coefficient (n-octanol/water) lo Pow:	og Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
EU-VOC (%)	0.00 %
EU-VOC (g/L)	0.0 g/l None.
EU-VOC (g/L)	0.0 g/l

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

according to 1907/2006/EC, Article 31

Revision: 22.08.2019

(Contd. of page 5)

Printing date 04.09.2020

Version number 7

Trade name WEBERCOLOR PREMIUM

Thermal decomposition / Conditions to be avoided:
No decomposition if used according to specifications.
10.3 Possibility of hazardous reactions
Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components         Type         Value         Species           CAS: 1317-65-3 limestone         Oral         LD50         >5,000 mg/kg (Rat)           CAS: 65997-16-2 Cement, alumina, chemicals         Oral         LD50         >2,000 mg/kg (Rat)           CAS: 65997-15-1 cement portland, grey         Dermal         LD50         >2,000 mg/kg (Rabbit)           Primary irritant effect:         Skin corrosion/irritation         Causes skin irritation.           Causes serious eye damage.         Respiratory or skin sensitisation           May cause an allergic skin reaction.         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)           Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.           STOT-single exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.	LD/LC50 value	es relevant for classification	on:	
Oral       LD50       >5,000 mg/kg (Rat)         CAS:       65997-16-2 Cement, alumina, chemicals         Oral       LD50       >2,000 mg/kg (Rat)         CAS:       65997-15-1 cement portland, grey         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage.       Respiratory or skin sensitisation         May cause an allergic skin reaction.       CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)         Germ cell mutagenicity Based on available data, the classification criteria are not met.       Carcinogenicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.       STOT-repeated exposure Based on available data, the classification criteria are not met.	Components	Туре	Value	Species
CAS: 65997-16-2 Cement, alumina, chemicals         Oral       LD50       >2,000 mg/kg (Rat)         CAS: 65997-15-1 cement portland, grey         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage.       Respiratory or skin sensitisation         May cause an allergic skin reaction.       CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)         Germ cell mutagenicity Based on available data, the classification criteria are not met.       Carcinogenicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.       STOT-repeated exposure Based on available data, the classification criteria are not met.	CAS: 1317-65-	-3 limestone		
Oral       LD50       >2,000 mg/kg (Rat)         CAS: 65997-15-1 cement portland, grey         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage/irritation       Causes serious eye damage.         Respiratory or skin sensitisation       May cause an allergic skin reaction.         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)       Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.       STOT-single exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.       STOT-repeated exposure Based on available data, the classification criteria are not met.	Oral LD50	>5,000 mg/kg (Rat)		
CAS: 65997-15-1 cement portland, grey         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage/irritation       Causes serious eye damage.         Respiratory or skin sensitisation       May cause an allergic skin reaction.         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)       Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.       Reproductive toxicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.       STOT-repeated exposure Based on available data, the classification criteria are not met.	CAS: 65997-16	6-2 Cement, alumina, cher	micals	
Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage/irritation       Causes serious eye damage.         Respiratory or skin sensitisation       May cause an allergic skin reaction.         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)       Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.       Reproductive toxicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.       STOT-repeated exposure Based on available data, the classification criteria are not met.	Oral LD50	>2,000 mg/kg (Rat)		
Primary irritant effect:         Skin corrosion/irritation         Causes skin irritation.         Serious eye damage/irritation         Causes serious eye damage.         Respiratory or skin sensitisation         May cause an allergic skin reaction.         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)         Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.         Reproductive toxicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.	CAS: 65997-15	5-1 cement portland, grey		
<ul> <li>Skin corrosion/irritation</li> <li>Causes skin irritation.</li> <li>Serious eye damage/irritation</li> <li>Causes serious eye damage.</li> <li>Respiratory or skin sensitisation</li> <li>May cause an allergic skin reaction.</li> <li>CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)</li> <li>Germ cell mutagenicity Based on available data, the classification criteria are not met.</li> <li>Carcinogenicity Based on available data, the classification criteria are not met.</li> <li>STOT-single exposure Based on available data, the classification criteria are not met.</li> </ul>	Dermal LD50	>2,000 mg/kg (Rabbit)		
	Skin corrosion Causes skin irr Serious eye da Causes serious Respiratory on May cause an a CMR effects (d Germ cell mut Carcinogenici Reproductive STOT-single e STOT-repeate	n/irritation ritation. amage/irritation s eye damage. r skin sensitisation allergic skin reaction. carcinogenity, mutagenici tagenicity Based on available ity Based on available data, toxicity Based on available exposure Based on available d exposure Based on available	ble data, the class e data, the le data, the lable data	he classification criteria are not met. sification criteria are not met. e classification criteria are not met. ne classification criteria are not met. n, the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

## Type of test Effective concentration Method Assessment

#### CAS: 1317-65-3 limestone

LC50/96h >10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))

EC50/48h >1,000 mg/l (Daphnia magna)

EC50/72h >200 mg/l (Algae)

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available. **Behaviour in environmental systems:** 

12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 04.09.2020

Version number 7

Revision: 22.08.2019

#### Trade name WEBERCOLOR PREMIUM

(Contd. of page 6)

### **Ecotoxical effects:**

### Remark:

The product contains substances which causes severe clouding in water The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

#### Additional ecological information:

#### General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

#### Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

#### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

10 13 11wastes from cement-based composite materials other than those mentioned in 10 13 09<br/>and 10 13 1010 13 14waste concrete and concrete sludgeHP4Irritant - skin irritation and eye damage

# HP13 Sensitising

#### **Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleaning agent:** Thoroughly shake out sacks.

## **SECTION 14: Transport information**

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
		(Contd. on page

EUG



according to 1907/2006/EC, Article 31

Printing date 04.09.2020

Version number 7

Revision: 22.08.2019

Trade name WEBERCOLOR PREMIUM

	(Contd. of page 7	
14.7 Transport in bulk according to Annex IIof Marpol and the IBC CodeNot applicable.		
Transport/Additional information:	Not dangerous according to the above specifications.	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Contains Portland cement with a soluble chromium VI content under 2 ppm during the conservation period indicated on the packaging

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP) Directive 2004/42/CE (VOC), cf. section 9

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

Conditions of restriction: 47

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. Department issuing SDS: Environment, Health and Safety Department (EHS) Contact: David Gonzalo; Tf.: +34 686517274 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

<sup>-</sup> EUG

according to 1907/2006/EC, Article 31

Revision: 22.08.2019

# 

Printing date 04.09.2020

Version number 7

Trade name WEBERCOLOR PREMIUM

(Contd. of page 8) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Stor SE 3: Specific target organ toxicity (ingle exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 \* Data compared to the previous version altered. According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.